

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application:

1.-10. (Canceled).

11. (Currently Amended) A process for ~~husking and/or seeding~~ grains, including:

dry cleaning the grains;

seeding the grains immediately thereafter in a processing zone

between baffles of a roller, the roller having a plurality of edged outward projections;

aspirating the seeded grains; and

directly milling the aspirated seeded grains into grits or meal.

12. (Canceled).

13. (Previously Presented) The process of claim 11, wherein the grains are corn grains.

14. (Canceled).

15. (Previously Presented) The process of claim 13, including:

beginning comminuting with double milling without any intermediate sifting between the communion stages.

16. (Currently Amended) A process for ~~husking and/or~~ seeding grains, including:

cleaning the grains by surface wetting; and

seeding the grains immediately thereafter in a processing zone between baffles of a roller, the roller having a plurality of edged outward projections.

17. (Currently Amended) A device for ~~husking and~~ seeding grains, comprising:

a swivel-mounted rotor, including processing tools;

a stator containing processing tools;

a screen enclosing the rotor to form a processing zone,

wherein the rotor includes a hollow shaft enclosed in a region of the processing zone by a roller and wherein the roller has a plurality of edged projections that elongate parallel to an axis of rotation of the rotor.

18. (Previously Presented) The device of claim 17 wherein the plurality of projections include two projections.

19. (Previously Presented) The device of claim 17, wherein the projections extend over the processing zone.

20. (Previously Presented) The device of claim 17, wherein the projections are arranged over the periphery of the roller and are spaced uniformly from each other.

21. (Previously Presented) The device of claim 17, wherein the projections are assigned slots.

22. (Previously Presented) The device of claim 17, wherein the hollow shaft is connected to a ventilator.

23. (Previously Presented) The device of claim 17, wherein the hollow shaft has openings in the region of the processing zone.

24. (Currently Amended) A device for ~~husking and seeding~~ grains, comprising:

a rotor including a hollow shaft having a plurality of openings;  
a roller disposed radially outward from the shaft and including a plurality of edged projections that elongate parallel to the axis of rotation of the rotor, the roller further including a plurality of assigned openings;  
a stator having a plurality of baffles and disposed radially outward from the roller; and

wherein the space between the stator and the roller forms a processing zone.

25. (Currently Amended) The device of claim 24, wherein a relative motion of the baffles to the projections provides an impact force for ~~husking and/or~~ seeding.